www.supergroups.com.au

Purpose of Plant: STEP 1 : ENTER INFORMATION ABOUT THE ITEM OF PLANT/EQUIPMENT, ITS LOCATION AND THE PEOPLE COMPLETING THE RISK ASSESSM Current Photo of machine being assessed and model (Include name Location: This form has been completed in accordance with the Hazard Management Policy/Procedure and CIVIL CONSTRUCTION KUBOTA U55-4G EXCAVATOR For further information please refer to the OHS Regulations Part 3 Plant Plant and Equipment Safety Management Policy/Procedure. Owner of Plant: Other competency required? Supervisor assessment required? \boxtimes Registration required? Include in Safe Operating Procedure (Induction required for this plant) Licence/ Trade certificate required? **S&S EQUIPMENT HIRE PTY LTD** 8 O Yes No REGISTRATION/LICENCES/ (Refer Appendix B) COMPETENCIES Standard to be used for further industrial machines AS 60204.1 electrical equipment for AS 1788 Abrasive wheels AS 4024 - 2014 Safety of machinery OHS Regulations (2017) Divisions: OHS Legislation and/or Australian reference. 2.10 Noise Part 3 Plant (including) 1.3 Information, Instruction, 1.2 OHS Responsibilities Training, Induction, Supervision 3.2.25 Plant with moving parts 3.2.17 Control of risk 3.2.15 Hazard Management LEGISLATION **SERIAL NO: 25192 HOURS: 1.7** Consultant: DANIEL SPOONER Date Assessed: 10/03/2022 HSO/Manager: Operator: Assessor: CARL HAWORTH (existing controls Overall risk rating RISK ASSESSMENT TEAM eg L, M, H, VH highest score (1 yr, from RISK ASSESSMENT) Review date: 10/03/2023 Date assessed: 10/03/2022 CARL HAWORTH (Name) 3

www.supergroups.com.au

Z							Yes.
							le there a working flashing beacon
z	7						Yes.
						17	Is there a working travel alarm fitted?
z	Customer to organise installation if required						NO
	というない 一人の一人の一人の一人の一人の一人の一人の一人の一人の一人の一人の一人の一人の一					rs fitted?	Are there adequate fire extinguishers fitted?
z		□ PPE					Other issuesNA
·	Customer to organise installation if any additional ones required.	. € E				a a	Yes (within easy reach and clearly marked)
		⊠Ad					□ □ NA
z	Guards are installed. Engine covers are fitted.		clear	C		C F	
	Warning decals in place.		When in operation pedestrians to keep	MEDILIM	n moving parts	tangled (eg i	Can the following items become entangled (eg in moving parts)?
Action required Y/N	Current Controls	Hierarchy of control	Comments (ie when and where hazard is present, task/activity)	Score	Consequence	Likelihood	Hazard Identified
				Equipment	Is = Isolation Ad = Administration PPE = Personal Protective Equipment	Is = Isolation Ad = Adminis PPE = Perso	LEGEND □ EI = Elimination □ Su = Substitution □ En = Engineering

☐ En = Engineering	Su = Substitution	EI = Elimination	LEGEND
PPE = Personal Protective Equipment	Ad = Administration	Is = Isolation	

z	Warning decals fitted. Quick hitch safety switch fitted. Induction.	⊠ ⊠ En Su	ct with: Pedestrians to keep clear. Quick hitch failure. Moving blade or bucket.	MEDIUM	MAJOR	UNLIKELY	Can anyone be cut, stabbed or punctured, amputated by coming linto contact with: Moving plant or parts Sharp or flying objects Work pieces ejected Work pieces disintegrating Other issues No NA Walder is tabled or punctured, amputated by coming linto contact with: Pedestr Quick h Moving
	Travel alarm and beacon fitted. Pedals are non-slip. Rear view mirror provides vision. Warning decals fitted. Park brake operational. Control pod operational. ROPS/FOPS structure fitted. Seatbelt fitted. Handrails fitted. SWL decals fitted. Do not lift above personnel decal fitted. Induction.	≥ PPE	Unexpected movement. Working near structures. Sudden reversing. Operator not wearing seatbelt. Working near pedestrians. Working on plant during maintenance and servicing.				movement of the plant eg Tipping Falling Rolling over Rolling forward The plant's load Under/between plant and a structure eg wall Inability to apply brake Falling off the plant Part of the plant Collapsing/changing shape Other issues No
Z	Neutral start switch fitted.		Unstable ground.	MEDIUM	MAJOR	UNLIKELY	
Action required Y/N	Current Controls Act	Hierarchy of control	Comments (ie when and where hazard is present, task/activity)	Score	Consequence	Likelihood	Hazard Identified Can anyone be crushed by:

En = Engineering	Su = Substitution	EI = Elimination	LEGEND
PPE = Personal Protective Equipment	Ad = Administration	Is = Isolation	

z	No smoking around machine. Diesel only decal fitted. Care to be taken when inspecting battery. Induction.	□ EI □ Su □ Su □ Is Ad	When inspecting battery. When filling with fuel	MEDIUM	MAJOR	UNLIKELY	Can anyone be injured by an explosion? Sas Vapour Dust Liquid Other issues No NA
z	Dial Before You Dig decal fitted. Look Up & Live decal fitted. Insulated electrical system. Induction.	□ EI □ Su □ Su □ Ad	Working near high voltage services. Inspecting battery and leads. Digging near underground services.	MEDIUM	MAJOR	UNLIKELY	Water near equipment Plant located near or in contact with exposed live electrical conductors Leads/switch in poor condition Overhead and underground wires Other issues No NA
Action required Y/N	Current Controls	Hierarchy of control	Comments (ie when and where hazard is present, task/activity)	Score	Consequence	Likelihood	Hazard Identified Likelihood Can anyone be injured from an electrical shock?

www.supergroups.com.au

Action required Y/N

z

Can anyone suffocate due to: Lack of oxygen Atmospheric contamination Engulfment Other issues No NA	Can anyone be struck by moving objects due to: Plant/materials being ejected UNLIKELY Plant/material movement Other issues No	Can anyone be burnt due to irriction? Contact with moving parts or surface of the plant Material handled by the plant Other issues No NA	Hazard Identified	LEGEND EI = Elimination Su = Substitution En = Engineering
RARE	jjects due to UNLIKELY	,	Likelihood	☐ Is = Isolation☐ Ad = Adminis☐ PPE = Perso
MAJOR	MAJOR		Consequence	Is = Isolation Ad = Administration PPE = Personal Protective Equipment
MEDIUM	MEDIUM		Score	- quipment
When working in confined spaces operator may be overcome by exhaust fumes.	Load may shift, pedestrians to keep clear. Unexpected plant movement		Comments (ie when and where hazard is present, task/activity)	
PPAG SEE	PP Su □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	PPE □ EI	Hierarchy of control	
Training for confined spaces must be completed before undertaking this type of work. Induction.	Travel alarm and beacon fitted. Keep clear decals fitted. Swing area decals fitted. Induction for correct operation. ROPS/FOPS structure fitted.		Current Controls	

z

z

LEGEND

EI = Elimination

Su = Substitution

En = Engineering

☐ Is = Isolation
☐ Ad = Administration
☐ PPE = Personal Protective Equipment

	_		
□ The location of the plant □ Uneven work surfaces □ Lack of safe guards (eg rails) □ Slippery work surfaces □ Other issues □ NA	Can anyone be affected by temperature extremes? Exposure to high temperature Exposure to low temperature Other issues No No NA	High/low temperature Naked flame Steam Laser beams Other issues No	Hazard Identified
POSSIBLE	RARE	UNLIKELY	Likelihood
FIRST AID	FIRST AID	FIRST AID	Consequence
MEDIUM	Low	MEDIUM	Score
When working on uneven ground. When entering and exiting plant.	When working in extremes of temperature.	When inspecting radiator. On exhaust.	Comments (ie when and where hazard is present, task/activity)
⊠ ⊠ □ □ □ □ Su □ □ PPE	□ EEI □ Su □ Su BAd	□ EEI □ SU □ SU □ SA A	Hierarchy of control
Seatbelts must be worn at all times. Maintain 3 points of contact when entering or exiting machine. Handrails fitted. Safety decals fitted. Steps to be kept clean.	Sunscreen to be worn. Appropriate clothing to be worn. Induction and training.	Hot coolant decal fitted. Hot exhaust decal fitted. Exhaust located out of reach of operating position, and all pedestrians to keep clear.	Current Controls
z	z	z	Action required Y/N

www.supergroups.com.au

LEGEND LEGEND Su En	EI = Elimination Su = Substitution En = Engineering	Is = Isolation Ad = Adminit	Is = Isolation Ad = Administration PPE = Personal Protective Equipment	quipment	
	Hazard Identified	Likelihood	Consequence	Score	Comments (ie when and where hazard is present task/activity)
Can ar	Can anyone come into contact with fluids or gases under high pressure due to:	 	 es under high p	ressure due	to:
	Failure of the plant	UNLIKELY	MAJOR	MEDIUM	Hydraulic hoses may burst.
	Nature of the plant Other issues				Radiator hoses may burst.
	No				
	NA				
Can ar	Can anyone injured due to ergonomic issues due to:	ic issues due	e to:		
\boxtimes	Repetitive body movement or posture	POSSIBLE	FIRST AID	MEDIUM	Long periods of operation
	Insufficient space				
	Excessive effort (push/pull)				
	Working at a height				
	Seating design				
	Poor lighting				
	Other issues				
\boxtimes	No				
	NA				

High pressure fluid decals fitted.

z

Hierarchy of control

Current Controls

Action required Y/N

⊠ Ad

Hoses in good condition and correct

Hose covers fitted. Hose clamps fitted.

maintenance to be continued.

□ S⊓ □ □

Ergonomic and adjustable seat fitted.

z

⊠ Ad □ Ad

Operator to take correct break periods.

Control knobs easy to reach Good lighting fitted. Low stress controls fitted.

Is there a current operators manual?

z

LEGEND

EI = Elimination

Su = Substitution

En = Engineering

☐ Is = Isolation
☐ Ad = Administration
☐ PPE = Personal Protective Equipment

z	Fitted with emissions compliant engine. Noise level below 85Db limit.	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □			tal hazards	environmen	Does the plant generate significant environmental hazards ☐ Energy consumption ☐ Water consumption ☐ Hazardous waste ☐ Hazardous emissions ☐ Nuisance noise ☐ Produce ignition to the surrounding area ☐ Other issues
z	No excessive fumes at high idle. Falls below 85Db limit. Hearing protection decal fitted. Operator to be trained in correct safety procedure for dusty work environments.	⊠ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	Working in confined spaces. Long periods of operation	MEDIUM	MAJOR	UNLIKELY	Can anyone be injured or suffer ill health from exposure to other hazards? Chemicals Radiation Noise Toxic gases or vapours No
Action required Y/N	Current Controls re	Hierarchy of control	Comments (ie when and where hazard is present, task/activity)	Score	Consequence	Likelihood	Hazard Identified

www.supergroups.com.au

STEP :
ယ
>
0
≓
9
7
m
ည
듥
m
O
Θ,
=
$ \mathbf{F} $
K
ດ
Ш
IR/S
NAGER/SUPER\
찚
Z
WISOR/
S
ž
\triangleright
\subseteq
THORIS
유
8
Ĕ
0
3: ACTION REQUIRED BY MANAGER/SUPERVISOR/AUTHORISED PERSOI
Z
ő
ž

☑ If no actions required and residual risk is medium to very high, the activity and the hazard(s) have been transferred to the Hazard Register and communicated to the relevant personnel.

					PLEASE NOTE:
					PLEASE NOTE: ELITE SELF LOCKING HYDRAULIC HITCH FITTED. PLEASE READ OPERATORS HANDBOOK BEFORE USE.
				o o	OK BEFORE USE.

Super Groups 44 Wedgewood road hallam 03-97023999 www.supergroups.com.au

BISK ASSESSMENT TABLES

Likelihood Table

DESCRIPTION	CATEGORY
Incident will occur at some time (0 - 1 month)	Almost Certain
Incident could occur at some time (1 month - 1 year)	ГікеІу
Incident is possible to occur (1 year – 2 years)	Possible
Incident is possible, but unlikely to occur (2 years – 5 years)	Unlikely
Cannot imagine that this could occur (over 5 years)	Rare

Consequences Table

Injury resulting in death or permanent incapacity	
Injury requiring extensive medical treatment and/or hospitalization	Critical
Medical Treatment injury needs formal medical treatment	Major
Likely to affect employee the next day.	biA fa₁i∃
Effects unlikely to last until the next day.	Minor
DESCRIPTION	CATEGORY


Risk Score Calculator

Consequences				Likelihood	
Catastrophic	Critical	Najor	biA feriF	Minor	
Very High	Легу Нідh	4 ₆ іН	qвіH	muibəM	nisheo teoml
Very High	ИдіH	hgiH	Medium	Medium	ГікеІу
dgiH	цбіН	hgiH	muibəM	мо¬	Possible
dgiH	muibəM	muibəM	род	род	Nulikely
ЧgіН	muibəM	muibəM	РОМ	ром	Rare

Risk Priority Table

Notify Manager and assess activity. Corrective Actions within three months (if possible).	Þ	Гом
Short term safety controls implemented to minimise risk of injury. Notify Manager and assess activity. Corrective Actions within one month.	3	muibəM
Implement short term safety controls immediately. Manager and assess activity	7	цбiH
Immediate action required. The activity should cease immediately and short term safety controls implemented. Motify Manager and assess activity.	l	И ејН (ग•)√
noitoA	Priority	Descriptor

BLIND SPOTS



plant.

Machines have blind spots where operators may not see people or objects nearby. The following diagrams illustrate typical examples of blind spots for some common mobile

Safety around operating plant

Super Groups 44 Wedgewood road hallam 03-97023999 www.supergroups.com.au